

EXTRAORDINARY PUBLISHED BY AUTHORITY

No. 747, CUTTACK, THURSDAY, MAY 1, 2014/ BAISAKHA 11, 1936

LABOUR & ESI DEPARTMENT

NOTIFICATION

The 30th April, 2014

No.3502-LL-I(III)74/13/LESI.— The following proposals which the State Government propose to make in exercise of the powers conferred by clause (b) of sub-section (1) and clause (b) of sub-section (2) of Section 3 read with Section 4 of the Minimum Wages Act, 1948 (11 of 1948) and in supersession of the notification of the Government of Odisha in the Labour & ESI Department No. 1748-LL-I(III)74/13/LESI., dated the 25th February,2014, for revising the minimum piece-rate of wages from the amount specified in column (4) of the Schedule below to the amount mentioned in column (6) thereof in respect of items specified against each in column (3) of the said Schedule, payable to the employees employed in the employments specified in column (2) thereof for the whole State of Odisha, is hereby published as required under clause (b) of sub-section (1) of Section 5 of the said Act for information of all persons likely to be affected thereby, and notice is hereby given that the said proposals will be taken into consideration on or after the expiry of a period of two months from the date of publication of this notification in the *Odisha Gazette*.

Any objection or suggestion which may be received from any person in respect of the said proposal before expiry of the period so specified above will be considered by the State Government.

SCHEDULE

SI. No.	Name of the scheduled Employment	Name & Quantum of work concerning the item	Existing rate of wages in	Percentage of hike @ 109% in Rs.	Proposed revised rate of wages in Rs.
(1)	(2)	(3)	Rs. (4)	(5)	(6)
(1)	Saw Mills	1.Truck Loading	(4)	(3)	(0)
		(a) Log loading girth (30 cm to 105 cm)	228.83	249.4247	478.25 paisa per truck
		(b) Log loading girth (117cm to 150 cm)	319.396	348.1416	667.54 per truck
		(c) Log loading girth (153 cm)	399.196	435.1236	834.32 per truck
		(d) Bolly/Fair wood load	183.736	200.2722	384.00 per truck
		2.Truck Unloading			
		(a)Round Timber	69.23	75.4607	144.70 per truck
		(b)Size on Sawn Timber	90.286	98.4117	188.70 per truck
		3.Stacking			
		(a)Log stacking	2.324	2.5661	4.86 per piece
		(b)Bolly stacking	1.862	2.0295	3.90 per piece
2.	Timber	1.Truck Loading			
	trading	(a) Log loading girth (30 cm to 105 cm)	228.83	249.4247	478.25 per truck
	(including	(b) Log loading girth (117cm to 150 cm)	319.396	348.1416	667.54 per truck
	falling &	(c) Log loading girth (150 cm & above)	399.196	435.1236	832.32 per truck
	sawing)	(d) Bolly/Fair wood load	183.736	200.2722	384.00 per truck
		2.Truck Unloading			
		(a)Round Timber	69.23	75.4607	144.70 per truck
		(b)Size on Sawn Timber	90.202	98.3201	188.52 per truck
		3.Stacking			
		(a)Log stacking	2.422	2.639	5.06 per piece
		(b)Bolly stacking	1.862	2.0295	3.89 per piece
3.	Timber	1.Truck Loading			
	trading	(a) Log loading girth (30 cm to 105 cm)	228.83	249.4247	478.25 per truck
	(excluding	(b) Log loading girth (117cm to 150 cm)	319.396	348.1416	667.54 per truck
	falling &	(c) Log loading girth (150 cm & above)	399.196	435.1236	834.32 per truck
	sawing)	(d) Bolly/Fair wood load	183.736	200.2722	384.00 per truck
		2.Truck Unloading			
		(a)Round Timber	69.23	75.4607	144.69 per truck
		(b)Size on Sawn Timber	90.202	98.3201	188.52 per truck
		3.Stacking			
		(a)Log stacking	2.422	2.639	5.06 per piece
		(b)Bolly stacking	1.862	2.0295	3.89 per piece

(1)	(2)	(3)	(4)	(5)	(6)
4.	Tiles & Brick	1.Brick making			
	making	(a)Mixing of clay, moulding and supply	222.712	242.7560	465.47
		of 1000 raw bricks of standard size			
		(b)Loading & firing of 1000 bricks into	58.646	63.9241	122.57
		kin within a distance of 50 metres			
		(c)Unloading of 1000 bricks from the	28.21	30.7489	58.96
		furnace and stacking within a distance			
		of 50 metres.			
5.	Oil Mills	1.Loading of 100 bags of 75 Kgs each	164.15	178.9235	343.07
		2.Unloading of 100 bags of 75 kgs each	164.15	178.9235	343.07
		3.Bagging of 100 bags of 75 kgs each	164.15	178.9235	343.07
		4.Weighting of 100 bags of 75 kgs each	117.292	127.8482	245.14
		5.Stacking of 100 bags of 75 kgs each	117.292	127.8482	245.14
		6.Sewing of 100 bags of 75 kgs each	117.292	127.8482	245.14
		7.Wellding of 100 bags of 75 kgs each	175.952	191.7876	367.74
		8.Unloading/Loading of 100 full tins of	93.73	102.1657	195.90
		16 kgs each			
		9.Unloading/Loading of 100 empty tins	11.69	12.7421	24.43
		10.Full cake bags loading/unloading	164.15	178.9235	343.07
		11.Gunny bag loading/unloading of	58.646	63.9241	122.57
		bundles each containing 50kgs			
		12.Husk loading/Unloading per truck	93.73	102.1657	195.90
6	Salt Pans	1.Manufacture of Salt	949.682	1035.1533	1984.84 per gadisa
					comprising of 60 bag
					of 70 kgs. each
		2.Loading and Unloading	164.15	178.9235	343.07 per 100 of 75
					kgs. each

Explanation: - For the purpose of the notification on manufacture of salt.

(I)Preparation of beds including maintenance of ridge.

- (II)Cleaning of bitten channels
- (III)Salt clearance from salt pans
- (IV)Delivery at the platform within a radius of 50 metres.

NB:-Weighing, Bagging and heaping are not done on piece-rate.

7.	Construction	1. Earth Work			
	or	(a) Drilling hole 2.5cm. to 4 cm dia in	187.642	204.5297	392.17 per running
	maintenance	granite rock			metre
	of roads or				
	building				
	operations				

(1)	(2)	(3)	(4)	(5)	(6)
, ,	Construction	(b)Drilling hole 2.5cm to 4 cm dia in	152.376	166.0898	318.47 per running
	or	rock other than granite			metre
	maintenance	(c)Cutting in soft disintegrated rock	7316.05	7974.4945	15290.54 per 100
	of roads or	removed by pick axes and crow bars			cum
	building	within 50 metres initial lead and 1.5			
	operations	metre initial lift.			
		(d)Earthwork in ordinary soil within	2147.992	2341.3112	4489.30 per 100 cum
		50m initial lead and 1.5m initial lift			
		including rough dressing and breaking			
		clods to minimum 5 cm to 7 cm and			
		laying in layers not exceeding 0.30 in			
		depth.			
		(e)Earthwork in hard soil or gravelly	2886.632	3146.4280	6033.06 per 100 cum
		soils within 50m initial lead and 1.5m			
		initial lift including rough dressing and			
		breaking clods to minimum 5 cm to 7			
		cm and laying in layers not exceeding			
		0.30 in depth.			
		(f)Earth work in stony earth and gravels	4502.176	4907.3718	9489.95 per 100 cum
		mixed with stone and boulders not			
		exceeding 0.014cum. In volume with			
		50m. initial lift including rough dressing			
		and breaking clods to minimum 5 cm to			
		7 cm and laying in layers not exceeding			
		0.30 in depth.			
		(g)Earth work in slusy soil in water upto	2954.56	3228.4704	6175.03 per 100 cum
		0.6m depth requiring the aid of pan			·
		vessels within 50m initial lead and			
		1.5m. initial lift.			
		2.Loading & Unloading			
		(a)Loading into and unloading from	2.044	2.2297	4.27 per quintal
		trucks and stacking as directed within			
		50m. lead.			
		(b)Loading in trucks, unloading from	16.324	17.7931	34.12 per cum
		trucks except sand, granite, chips,			
		metals and wood as directed within			
		50m. lead.			

(1)	(2)	(3)	(4)	(5)	(6)
	Construction	(c)Loading in trucks, unloading from	16.324	17.7931	34.12 per cum
	or	trucks sand, granite, chips, metals and			
	maintenance	wood within 50m. lead.			
	of roads or	(d)Loading and unloading from trucks	19.866	21.6539	41.52 per cum
	building operations	bulk materials such as home pipes etc.			
	operations	as directed within 50M. Lead.			
		(e)Unloading from wagons 1m clear of	1.666	1.8159	3.48 per quintal
		rails in platform for cement, coal, AC			
		sheet, Tarphet paints etc. within 15m.			
		lead.			
		(f)Unloading from Railway wagons, loading	4.634	5.0510	9.69 per quintal
		in trucks and unloading and stacking at the			
		godown within 15m lead.			
		3.Conveyance by head loads:	F 570	(070 4	11.75
		(i)Bajri, Gravel, Stone, Sand etc. upto	5.572	6.0734	11.65 per every cum
		50m. (ii)Bajri, Gravel, Stone, Sand etc. upto	9.36	10.2024	19.56 per every cum
		100 m.	9.30	10.2024	19.56 per every cum
		(iii)Bajri, Gravel, Stone, Sand etc. upto	16.702	18.2051	34.91 per every cum
		150 m.			
		4. Conveyance of heavy materials by	Add 50% e	xtra over the a	bove rate.
		sangimullas within 100m.			
8.	Stone	1.Stone Breaking or Stone Crushing			
	Breaking & Stone	(a)Granite Stone Broken metal 5cm size	211.022	230.0139	441.04 C.B.
	Crushing	crusher.	187.628	204.5145	392.14 H.B per cum
	J	(b)Granite Stone Broken metal 4cm size	234.486	255.5897	490.08 C.B.
		crusher.	201.626	219.7723	421.40 H.B per cum
		(c)Granite Stone Broken metal to 2.5cm	375.256	409.0290	784.29 C.B.
		size.	339.99	370.5891	710.58 H.B per cum
		(d)Granite Stone Broken metal to 2cm	433.72	472.7540	906.47 C.B.
		size.	386.946	421.7711	808.72 H.B per cum
		(e)Granite Stone Broken metal to	468.986	511.1947	980.18 C.B.
		12mm size.	422.03	460.0127	882.04 H.B per cum
		(f)Granite Stone Broken metal to 6 mm	492.366	536.6789	1029.04 per cum
		size.			
		(g)Stone other than Granite Broken to	93.73	102.1657	195.90 per cum
		5cm size.			

(1)	(2)	(3)	(4)	(5)	(6)
	Stone	(h)Stone other than Granite Broken to	105.504	114.9993	220.50 per cum
	Breaking &	4cm size.			
	Stone	(i)Stone other than Granite Broken to	128.982	140.5903	269.57 per cum
	Crushing	1.5cm size.			
		(j)Stone other than Granite Broken to 2	150.626	164.1823	314.81 per cum
		cm size.			·
		(k)Stone boulder 15cm and above other	54.012	58.8730	112.89 per cum
		than Granite			·
		(I)Stone boulder 15cm and above other	54.012	58.8730	112.89 per cum
		than Granite			
		2.Loading & Unloading			
		(a)Loading into and unloading from	2.044	2.2279	4.27 per quintal
		trucks and stacking as directed within	2.044	2.2217	4.27 por quintur
		50m. lead.			
		(b)Loading in trucks, unloading from	16.436	17.9152	34.35 per cum
			10.430	17.9132	34.35 per cum
		trucks except sand, granite, chips,			
		metals and wood as directed within			
		50m. lead.	11.101	17.0150	0.4.05
		(c)Loading in trucks, unloading from	16.436	17.9152	34.35 per cum
		trucks sand, granite, chips, metals and			
		wood within 50m. lead.			
		(d)Load and unloading from trucks bulk	19.866	21.6539	41.52 per cum
		materials such as home pipes etc. as			
		directed within 50. Lead.			
		(e)Unloading from wagons 1m clear of	1.666	1.8094	3.48 per quintal
		rails in platform for cement, coal, AC			
		sheet, Tarphet paints etc. within 15m.			
		lead.			
		(f)Unloading from Railway wagons, loading	4.634	5.0510	9.69 per quintal
		in trucks and unloading and stacking at the			
		godown within 15m lead.			
		3.Conveyance by head loads:			
		(i)Bajri, Gravel, Stone, Sand etc. upto	5.572	6.0734	11.65 per every
		50m.			cum
		(ii) Bajri, Gravel, Stone, Sand etc. upto	9.38	10.2242	19.61 per every
		100m.			cum
		(iii) Bajri, Gravel, Stone, Sand etc. upto	18.284	19.9295	38.21 per every
		150m			cum
		4. Conveyance of heavy materials by	Add 50% 6	extra over the	
		sangimullas within 100m.	00/00		
		oanginanas within 100m.			

(1)	(2)	(3)	(4)	(5)	(6)
9	Construction	1.Earth Work			
	maintenance	(a) Drilling hole 2.5 cm to 4cm. dia in	187.642	204.5297	392.17 per running
	of dams and embankments	granite rock			metre
	irrigation	(b) Drilling hole 2.5 cm to 4 cm. dia in	152.376	166.0898	318.47 per running
	projects and	rock other than granite			metre
	sinking of	(c) Cutting in soft disintegrated rock	7316.05	7974.4945	15,290.54 per 100
	wells and	removed by pick axes and crow bars			cum
	tanks.	within 50 metres initial lead and 1.5			
		metre initial lift.			
		(d) Earthwork in ordinary soil within	2147.992	2341.3112	4,489.30 per 100
		50m initial lead and 1.5m initial lift			cum
		including rough dressing and breaking			
		clods to minimum 5cm to 7cm. and			
		laying in layers not exceeding 0.30 in			
		depth			
		(e) Earthwork in hard soil or gravelly	2886.632	3146.4288	6,033.06 per 100
		soils within 50m initial lead and 1.5m			cum
		initial lift including rough dressing and			
		breaking clods to minimum 5cm and			
		laying in layers not exceeding 0.30 in			
		depth.			
		(f) Earth work in stony earth and	4502.176	4907.3718	9,409.55 per 100
		gravels mixed with stone and boulders			cum
		not exceeding 0.014 cum. in volume			
		with 50m initial lift including rough			
		dressing and breaking colds to			
		minimum 5cm to 7cm, and laying in			
		layers not exceeding 0.30 in depth.			
		(g) Earth work in slushy soil in water	2954.56	3220.4704	6, 175.03 per 100
		upto 0.6m. depth requiring the aid of			cum
		pan vessels within 50m initial lead and			
		1.5m. initial lift.			
		2. Loading and Unloading			
		(a) Loading into and unloading from	2.044	2.2279	4.27 per quintal
		trucks and stacking as directed within			
		50m. Lead.			
		(b) Loading in trucks, unloading from	16.436	17.9152	34.35 per cum
		trucks except sand, granite, chips,			
		metals and wood as directed within			
		50m. lead.			
	<u> </u>			<u> </u>	

(1)	(2)	(3)	(4)	(5)	(6)
(.)	Construction	(c) Loading in trucks, unloading from	16.436	17.9152	34.35 per cum
	maintenance	trucks, sand, granite, chips, metals and			·
	of dams and	wood within 50m. lead.			
	embankments	(d) Load & Unloading from trucks bulk	19.95	21.7455	41.70 per every cum
	irrigation projects and	materials such as home pipes etc. as			
	sinking of	directed within 50m. lead.			
	wells and	(e) Unloading from wagons 1m. clear of	1.666	1.8094	3.48 per quintal
	tanks.	rails in platform for cement, coal, Ac			
		Sheet, Tarphet paints etc. within 15m.			
		lead.			
		(f) Unloading from Railways wagons,	4.634	5.0510	9.69 per quintal
		loading in trucks and unloading and			
		stacking at the godown within			
		15m.lead.			
		(3) Conveyance by head loads:			
		(i) Bajri, Gravel, Stone, Sand etc up to	5.572	6.0734	11.65 per every cum
		50m.			
		(ii) Bajri, Gravel, Stone, Sand etc. up to	9.38	10.2242	19.61 per every cum
		100m.			
		(iii) Bajri, Gravel, Stone, Sand etc. up to	18.284	19.9295	38.21 per every cum
		150m.			
		4. Conveyance of heavy materials by	Add 50% e	xtra over the a	bove rate.
		sangimullas within 100m.		T	
10	Rice Mills,	1. Steaming of paddy for 100 bags of	164.15	178.9235	343.07
	Dal Mills and	75kgs each.			
	Floor Mills	2. Boiling of paddy for 100 bags of	164.15	178.9235	343.07
		75kgs each.			
		3. Carrying of paddy for 100 bags of	117.292	127.8482	245.14
		75kgs each.			
		4. Loading of 100 bags of 75kgs each	164.15	178.9235	343.07
		5. Unloading of 100 bags of 75kgs each	164.15	178.9235	343.07
		6. Bagging of 100bags of 75kgs each	140.686	153.3477	294.03
		7. Weighting of 100 bags of 75kgs each	117.292	127.8482	245.14
		8. Stacking of 100 bags of 75kgs each	117.292	127.8482	245.14
		9. Sewing of 100 bags of 75 kgs each	117.292	127.8482	245.14
11	Bamboo	Bambo cutting (including piecing	601.496	655.6306	1,275.13 per 100
	Forest	bundling and stacking near the place of			bundles each has 21
	Establishment	cutting.			pieces 2.3 metres
					1

Establishment (ii) For every additional 50 metres 69.23 75.4607 14. beyond 100metres 3. Stacking at depot side and at all 19.11 20.8299 39 other places except near the place of cutting 4. Rebundling 34.622 37.7379 72	ndles and per	
Establishment (ii) For every additional 50 metres 69.23 75.4607 14. beyond 100metres 3. Stacking at depot side and at all 19.11 20.8299 39 other places except near the place of cutting 4. Rebundling 34.622 37.7379 72	ndles 4.69 per ndles .94 per ndles .36 per	100
(ii) For every additional 50 metres 69.23 75.4607 14. beyond 100metres bu 3. Stacking at depot side and at all 19.11 20.8299 39. other places except near the place of cutting 34.622 37.7379 72	4.69 per ndles per ndles 2.36 per	100
beyond 100metres bu 3. Stacking at depot side and at all 19.11 20.8299 39 other places except near the place of cutting 4. Rebundling 34.622 37.7379 72	ndles .94 per ndles .36 per	100
3. Stacking at depot side and at all 19.11 20.8299 39 other places except near the place of cutting 34.622 37.7379 72	.94 per ndles	
other places except near the place of cutting 4. Rebundling 34.622 37.7379 72	ndles and per	
cutting 4. Rebundling 34.622 37.7379 72	.36 per	100
4. Rebundling 34.622 37.7379 72	•	100
	•	100
		100
DU	ndles	
5. Loading 31.92 34.7928 66	.71 per	100
bu	ndles	
6. Unloading (including staking near the 22.82 24.8738 47.	.69 per	100
place of unloading) bu	ndles	
Explanation:- For the purpose of		
computation of minimum wages under		
this notification twenty-one small		
pieces of bambos ranging from 0.5		
metres to 1.5 metres in length each		
constitute half of a bundle.		
12 Printing Press 1.Composing Trade: For	r unit of work	
do	ne	
(a) Distribution and supply of types for 24.682 26.9033 51.	.58	
ordinary composition of manuscript		
without correction (Semi Skilled)		
(b) Display and complicated finished 24.962 27.2085 52	.17	
job composition, correction, make up		
and imposition of composed matter		
(Skilled).		
2. Printing trade:		
(a) Distribution of ordinary jobs in small 19.11 20.8299 39.	04	
	. 74	
and simple type of trade platen/small		
handfed cylinder machine(Semi		
Skilled)		
(b) Printing of complicated and 22.274 24.2786 46.	.55	
coloured jobs in the above type of		
machine (Skilled)		

(2)	(3)	(4)	(5)	(6)
Printing Press	(c) Printing of straight forward job like	22.274	24.2789	46.55
	forms and books in large size handfed			
	flat bed machines, printing of above			
	type of work in small size autofed			
	platen and cylinder machine (Skilled)			
	3. Book Binding Trade:			
	(a) Manual operations like a folding,	24.682	26.9033	51.58
	gathering, pasting, stitching, numbering			
	and hand sewing etc. (Semi Skilled)	0.1.400	01.0000	51.50
	(b) Operating common binding	24.682	26.9033	51.58
	machines like small size paper cutting			
	machines, Wire stitching machines etc			
	(Semi Skilled)	24 (02	27, 0022	F1 F0
	(c) Complicated and more skilled manual operation like machine sewing	24.682	26.9033	51.58
	case making, gold blocking, gift digging,			
	marbling etc. and operating large size			
	guilothnes, semi automatic like folding			
	machine, book sewing machines, knife,			
	trimmers, gathering stitcher and flow			
	like binding machines(Skilled)			
	Explanation:- For the purpose of this			
	notification-(a) Each workers for the			
	semi-skilled work will turnout minimum			
	3 units of work per day which the			
	employer is obliged to provide him and			
	failing that employer will pay him the			
	minimum wage per day inclusive of			
	weekly off day wages. The employee			
	will not refuse to work more if work is			
	provided to him during normal working hours. In case of overtime work, he will			
	be paid at double the rate.			
	(b) Each workers for the skilled work			
	will turn out minimum 3.5 units of work			
	per day for composing trade, book			
	binding trade and 4 units of work per			
	day for the printing trade. The			
	employer will be obliged to provide him			
	such quantity of work failing which the			
	employer will pay him minimum wages			
	per day. The worker will accept and			
	execute more work if offered during			
	the normal working hours. If he works			
	overtime, he will be paid at double the			
	rate.			

(1)	(2)	(3)	(4)	(5)	(6)
13	Collection of	Undecoraticated Sal Seeds.	3.99	4.3491	8.34 per kilogram of
	Sal Seeds				dry weight
		2. Decoraticated Sal Seeds.	4.074	4.4406	8.51 per kilogram of
					dry weight
		3. Bagging, Weighing, and stitching	3.57	3.8913	7.46 per 1 bag of 85
		Debagging and Stacking			kilograms
		4. Loading	2.324	2.5331	4.86 per 1 bag of 85
					kilograms
		5. Unloading	1.4	1.526	2.93 per 1 bag of 85
					kilograms
14	Kendu leaf	1. Plucking	0.224	0.2441	0.47 per 20 leaves
	Collection	2. Binding	15.4	16.786	32.19 per bundle
					(5 kg bundle) per bag
					of 60 kgs.
		3. Bagging	15.4	16.786	32.19 per bag of 60
					kgs.
		4. Mulayam	8.904	9.7053	18.61 per bag of 60
			_		kgs.

By Order of the Governor S.P. PATTNAIK

Principal Secretary to Government
